

Module 2

Topic 1

Quiz

MULTIPLE CHOICE: Choose the BEST answer.

_____ 1. Which of the following is NOT a necessary step when approaching a vehicle?

- a. check tire tread depth with a penny
- b. check for obvious fluid leaks
- c. check for physical damage to the vehicle's body
- d. check for objects around the vehicle

_____ 2. The head restraint should be adjusted

- a. to the back of the neck
- b. just above the ears
- c. even with the top of the head
- d. depends on drivers height

_____ 3. Preventative maintenance

- a. is the routine care you give your vehicle
- b. is outlined in the owner's manual
- c. includes checking fluids
- d. all of the above

_____ 4. Tire pressure should be checked

- a. weekly
- b. monthly
- c. every 6 months
- d. yearly

_____ 5. The oil should be changed every

- a. 1000 - 2000 miles
- b. 3000 - 5000 miles
- c. 7000 - 9000 miles
- d. 10,000 - 12,000 miles

- ___ 6. When seated properly, the driver should be at least ___ inches from the steering wheel.
- a. 6
 - b. 8
 - c. 10
 - d. 14
- ___ 7. Driving with the hands in the 8 o'clock and 4 o'clock position
- a. reduces excessive steering
 - b. helps protect the driver from airbag injuries
 - c. improves vehicle stability
 - d. all of the above
- ___ 8. The lap belt should be adjusted to fit snugly
- a. around the stomach
 - b. across the hips
 - c. across the thighs
 - d. depends on seating position
- ___ 9. The side view mirrors should be adjusted so that while driving the driver can see
- a. the sides of the vehicle
 - b. the vehicles in the lanes beside his/her vehicle
 - c. vehicles behind
 - d. all of the above

TRUE/FALSE

- ___ 1. Locking the door ensures that they will not fly open during a crash.
- ___ 2. When seated properly, the driver's chin should be above the steering wheel.
- ___ 3. The steering wheel should be adjusted upward.
- ___ 4. When using the accelerator and brake pedal, the heel of the foot should remain on the floor.
- ___ 5. The rearview mirror should be adjusted to frame the back windshield.

- _____ 6. When the mirrors are set correctly, there is no need to check blind zones.
- _____ 7. The driver should set accessories before putting the vehicle in drive.
- _____ 8. To adjust the side view mirror, the driver should sit in the driving position.
- _____ 9. The following is the correct procedure for securing a vehicle:

stop
set parking brake
place gear selector in park
turn off accessories
turn ignition off, lock ignition and remove key
remove occupant restraints
check traffic and exit vehicle
secure doors